

## e-BIKE SPECIFIC SPECIFICATION

---

<b>MOTOR</b>	Bosch Performance Line CX (Gen 4). 85 Nm max Torque, 250 W nominal power, 2.79 kg 4 Power settings including progressive eMTB mode which automatically adjusts the support	<b>BATTERY</b>	Bosch 625 Wh internal PowerTube. Reaches full charge in 5 hours with supplied 4A Compact Charger, 80% charge from 0 in 2.5 hours	<b>DISPLAY</b>	Bosch Purion
--------------	--	----------------	--	----------------	--------------

## SPECIFICATION

---

<b>COLOUR</b>	Matt Moss with Chalk & Ocean	<b>CASSETTE</b>	SRAM XG-1275 Eagle, 10-52, 12 Speed
<b>FRAME</b>	6061 Alloy, Hydro Formed T6 Aluminium, Multi Butted, Custom Drawn, Tapered Headtube, Internal Cable Routing and 12mm X 148mm Boost Dropouts	<b>CHAIN</b>	SRAM GX Eagle, 12 Speed
<b>FORK</b>	RockShox ZEB Select RC 29", 150mm Travel, 44mm Offset, DebonAir, Charger 2 RC Damper, Fast Black Coating, Tapered Steerer, 110mm	<b>CRANKSET</b>	SRAM EX1, 165mm, ISIS with X-SYNC 2, Direct Mount 36T for Bosch Performance Line CX, Black

	x 15mm Boost, Maxle Ultimate		
<b>REAR SHOCK</b>	RockShox Deluxe Select + RT, DebonAir, Fast Black Coating, Adjustable Rebound, 2 position compression adjustment	<b>BOTTOM BRACKET</b>	N/A
<b>HEADSET</b>	FSA No. 57E Orbit ZS, 1 1/2" Lower and 1 1/8" Upper Sealed Cartridge Bearings	<b>SEATPOST</b>	Crank Bro High-Line 3, 30.9mm, M/L 150mm Travel, XL 170mm Travel, High-Line Ball Socket Remote Lever
<b>REAR HUB</b>	Alloy, e-bike specific, Double Sealed Cartridge Bearings, 12mm x 148mm Boost Thru Axle, 9 deg Micro Engagement 4 Pawl, 32 Hole	<b>SADDLE</b>	Fizik Terra Aidon, 145mm wide, Wingflex, S-Alloy Mobius rail
<b>FRONT HUB</b>	Alloy, Double Sealed Cartridge Bearings, 15mm x 110mm Boost Thru Axle, 31mm Torque Caps, 32 Hole	<b>HANDLEBAR</b>	Whyte Custom 6061 Alloy, 30mm Rise, 35mm Bar Bore, 780mm Wide
<b>SPOKES</b>	DT Swiss Champion 2.0mm, Black Stainless, Brass Nipples	<b>STEM</b>	Whyte Enduro Stem, 35mm Bar Bore, 35mm Extension
<b>RIMS</b>	WTB HTZ i30 TCS 2.0 System, Asymmetric, Sleeved Joint, Super Tough Construction, Tubeless Ready, 32 Hole	<b>GRIPS</b>	Whyte Lock-on Enduro Grip

<b>TYRE</b>	Maxxis Assigai WT, TR, 29" x 2.5" 120TPI, EXO+ Casing, 3C Maxx Grip, Dual Compound, Front, Maxxis Minion DHR II WT, TR, 29" x 2.4" 2x120TPI, Double Down, 3C Maxx Terra, Dual Compound, Folding Bead, Rear	<b>BRAKES FRONT</b>	SRAM Code R, 4 Piston with Sintered Metal Pads, 220mm Disc
<b>SHIFT LEVERS</b>	SRAM X01-E Eagle, Single Click, MMX, 12 Speed	<b>BRAKES REAR</b>	SRAM Code R, 4 Piston with Sintered Metal Pads, 200mm Disc
<b>FRONT MECH</b>	N/A	<b>BRAKE LEVERS</b>	SRAM Code R, MMX
<b>REAR MECH</b>	SRAM X01 Eagle, 12 Speed	<b>PEDALS</b>	None
<b>WEIGHT</b>	TBC		